

RECEIVED
CENTRAL FAX CENTER

APR 04 2006

**Yee &
Associates, P.C.**4100 Alpha Road
Suite 1100
Dallas, Texas 75244Main No. (972) 385-8777
Facsimile (972) 385-7766**Facsimile Cover Sheet**

To: Commissioner for Patents for Examiner Van H. Nguyen Group Art Unit 2194	Facsimile No.: 571/273-8300
From: Michele Morrow Legal Assistant to Francis Lammes	No. of Pages Including Cover Sheet: 25
Message: Enclosed herewith: <ul style="list-style-type: none">• Transmittal of Appeal Brief; and• Appeal Brief.	
Re: Application No. 09/965,005 Attorney Docket No: AUS920010491US1	
Date: Tuesday, April 04, 2006	
Please contact us at (972) 385-8777 if you do not receive all pages indicated above or experience any difficulty in receiving this facsimile.	<i>This Facsimile is intended only for the use of the addressee and, if the addressee is a client or their agent, contains privileged and confidential information. If you are not the intended recipient of this facsimile, you have received this facsimile inadvertently and in error. Any review, dissemination, distribution, or copying is strictly prohibited. If you received this facsimile in error, please notify us by telephone and return the facsimile to us immediately.</i>

**PLEASE CONFIRM RECEIPT OF THIS TRANSMISSION BY
FAXING A CONFIRMATION TO 972-385-7766.**

RECEIVED
CENTRAL FAX CENTER

APR 04 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Craddock et al.

Serial No.: 09/965,005

Filed: September 27, 2001

For: End Node Partitioning Using
Virtualization

35525

PATENT TRADEMARK OFFICE
CUSTOMER NUMBER

Group Art Unit: 2194

Examiner: Nguyen, Van H.

Attorney Docket No.: AUS920010491US1

Certificate of Transmission Under 37 C.F.R. § 1.8(a)I hereby certify this correspondence is being transmitted via
facsimile to the Commissioner for Patents, P.O. Box 1450,
Alexandria, VA 22313-1450, facsimile number (571) 273-8300
on April 4, 2006.

By:


Michele MorrowTRANSMITTAL OF APPEAL BRIEFCommissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

ENCLOSED HEREWITH:

- Appeal Brief (37 C.F.R. 41.37)

A fee of \$500.00 is required for filing an Appeal Brief. Please charge this fee to IBM Corporation Deposit Account No. 09-0447. No additional fees are believed to be necessary. If, however, any additional fees are required, I authorize the Commissioner to charge these fees which may be required to IBM Corporation Deposit Account No. 09-0447. No extension of time is believed to be necessary. If, however, an extension of time is required, the extension is requested, and I authorize the Commissioner to charge any fees for this extension to IBM Corporation Deposit Account No. 09-0447.

Respectfully submitted,



Francis Lammes

Registration No. 55,353

AGENT FOR APPLICANTS

Duke W. Yee

Registration No. 34,285

YEE & ASSOCIATES, P.C.

P.O. Box 802333

Dallas, Texas 75380

(972) 385-8777

ATTORNEY FOR APPLICANTS

RECEIVED
CENTRAL FAX CENTER

APR 04 2006

Docket No. AUS920010491US1

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: **Craddock et al.**

Serial No. 09/965,005

Filed: September 27, 2001

For: End Node Partitioning Using
Virtualization§
§
§
§
§
§
§

Group Art Unit: 2194

Examiner: Nguyen, Van H.


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

35525

PATENT TRADEMARK OFFICE
CUSTOMER NUMBERCertificate of Transmission Under 37 C.F.R. 81.8(a)

I hereby certify this correspondence is being transmitted via facsimile to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, facsimile number (571) 273-8300 on April 4, 2006.

By:


Michele Morrow

APPEAL BRIEF (37 C.F.R. 41.37)

This brief is in furtherance of the Notice of Appeal, filed in this case on February 9, 2006.

A fee of \$500.00 is required for filing an Appeal Brief. Please charge this fee to IBM Corporation Deposit Account No. 09-0447. No additional fees are believed to be necessary. If, however, any additional fees are required, I authorize the Commissioner to charge these fees which may be required to IBM Corporation Deposit Account No. 09-0447. No extension of time is believed to be necessary. If, however, an extension of time is required, the extension is requested, and I authorize the Commissioner to charge any fees for this extension to IBM Corporation Deposit Account No. 09-0447.

04/05/2006 CCHAU1 00000063 090447 09965005

01 FC:1402 500.00 DA

(Appeal Brief Page 1 of 23)
Craddock et al. - 09/965,005

REAL PARTY IN INTEREST

The real party in interest in this appeal is the following party: International Business Machines Corporation.

RELATED APPEALS AND INTERFERENCES

With respect to other appeals or interferences that will directly affect, or be directly affected by, or have a bearing on the Board's decision in the pending appeal, there are no such appeals or interferences.

(Appeal Brief Page 3 of 23)
Craddock et al. - 09/965,005

STATUS OF CLAIMS

A. TOTAL NUMBER OF CLAIMS IN APPLICATION

Claims in the application are: 1-19.

B. STATUS OF ALL THE CLAIMS IN APPLICATION

1. Claims canceled: NONE.
2. Claims withdrawn from consideration but not canceled: NONE.
3. Claims pending: 1-19.
4. Claims allowed: NONE.
5. Claims rejected: 1-19.
6. Claims objected to: NONE.

C. CLAIMS ON APPEAL

The claims on appeal are: 1-19.

STATUS OF AMENDMENTS

There are no amendments after the final rejection.

SUMMARY OF CLAIMED SUBJECT MATTER***Independent claims 1, 11, and 19:***

The present invention provides a method for partitioning a computer network end node. (Specification, page 1, lines 409 and page 30, lines 28-30) The present invention virtualizes a plurality of network devices on a single multi-function chip by means of a combination of hardware and software to form virtual network devices. (Specification, page 23, lines 1-4) The present invention virtualizes at least one router on the single multi-function chip by means of a combination of hardware and software to form a virtual router. (Specification, page 23, line 3, to page 26, line 11) Wherein the virtual router of the present invention performs control-flow processing for the virtual network devices. (Specification, page 27, lines 8-25) Wherein the virtual router of the present invention functions of destination lookup and packet forwarding are incurred only on control-flow processing. (Specification, page 26, lines 12-29) Wherein the virtual network devices and the virtual router of the present invention form a virtual subnet. (Specification, page 23, line 5, to page 26, line 11)

The system recited in claim 19 may be a system for partitioning a computer network end node comprised of a first virtualizing component and a second virtualizing component, such as virtual host processor node 602, virtual host processor node 604, virtual host channel adapter (HCA) 606, or virtual host channel adapter (HCA) 608 of Figure 6 performing the steps described in the specification at page 22, line 29, to page 30, line 11 and page 30, lines 12-30, or equivalent. A person having ordinary skill in the art would be able to derive computer instructions on a computer readable medium as recited in claim 11, as well as dependent claims 12-18, given Figures 6 and 7 and the corresponding description at page 22, line 29, to page 30, line 11 and page 30, lines 12-30, without undue experimentation.

GROUND OF REJECTION TO BE REVIEWED ON APPEAL

A. GROUND OF REJECTION (Claims 1-19)

Claims 1-19 are rejected under 35 U.S.C. § 103(a) as being unpatentable over Pettey et al. (U.S. Patent No. 6,594,712 B1) in view of Yuasa et al. (U.S. Patent No. 6,085,238).

ARGUMENT

A. 35 U.S.C. § 103, Alleged Obviousness, Claims 1-19

The Examiner rejects claims 1-19 under 35 U.S.C. § 103(a) as being unpatentable over Pettey et al. (U.S. Patent No. 6,594,712 B1) in view of Yuasa et al. (U.S. Patent No. 6,085,238). This rejection is respectfully traversed.

As to claims 1, 11 and 19, the Examiner states:

As to claim 1, Pettey teaches the invention substantially as claimed including a method for partitioning a computer network end node (col. 6, lines 14-29), the method comprising:

- virtualizing a plurality of network devices on a single multi-function chip by means of a combination of hardware and software to form network devices (col.6, lines 20-47 and fig.1); and
 - virtualizing at least one router on the multi-function chip by means of a combination of hardware and software to form a router (col.6, lines 22-27 and fig.1), wherein the virtual router performs control-flow processing for the virtual network devices (col. 6, lines 23-38 and figs. 7a-7b);
- wherein the virtual network devices and the router form a subnet (col.6, lines 31-38).

Pettey does teach network devices, a router, a subnet, but does not explicitly teach a virtual network devices, a virtual router and a virtual subnet and the virtual router functions of destination lookup and packet forwarding are incurred only on control-flow processing.

Yuasa teaches a virtual network devices (see the abstract), a virtual router (col.72, lines 14-30, a virtual subnet (col.39, lines 3-14), and the virtual router functions of destination lookup and packet forwarding are incurred only on control-flow processing (col.39, lines 16-34 and col.72, lines 14-41).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Yuasa and Pettey because Yuasa's teaching would have provided the capability of enabling high speed routing for the intranet. Thus, system costs are drastically decreased and intranet routing performance can be enhanced.

Office Action dated July 14, 2005, pages 4-5.

Claim 1, which is representative of the other rejected independent claims 11, and 19 with regard to similarly recited subject matter, reads as follows:

1. A method for partitioning a computer network end node, the method comprising:

(Appeal Brief Page 8 of 23)
Craddock et al. - 09/965,005

virtualizing a plurality of network devices on a single multi-function chip by means of a combination of hardware and software to form virtual network devices; and

virtualizing at least one router on the single multi-function chip by means of a combination of hardware and software to form a virtual router, wherein the virtual router performs control-flow processing for the virtual network devices, and wherein the virtual router functions of destination lookup and packet forwarding are incurred only on control-flow processing;

wherein the virtual network devices and virtual router form a virtual subnet.

Petty and Yuasa, taken alone or in combination, fail to teach or suggest virtualizing a plurality of network devices on a single multi-function chip by means of a combination of hardware and software to form virtual network devices, virtualizing at least one router on the single multi-function chip by means of a combination of hardware and software to form a virtual router, wherein the virtual router performs control-flow processing for the virtual network devices, wherein the virtual router functions of destination lookup and packet forwarding are incurred only on control-flow processing, and wherein the virtual network devices and virtual router form a virtual subnet.

Petty is directed to an Infiniband channel adapter for performing direct data transfers between a PCI bus and an Infiniband link without double-buffering the data in system memory. In the Petty system, a local processor programs the channel adapter to decode addresses in a range of the PCI bus address space dedicated to direct transfers. When an I/O controller attached to the PCI bus transfers data from an I/O device to an address in the dedicated range, the channel adapter receives the data into an internal buffer and creates an Infiniband RDMA Write packet for transmission to virtual address within a remote Infiniband node. When the channel adapter receives an Infiniband RDMA Read Response packet, the channel adapter provides the packet payload data to the I/O controller at a PCI address in the dedicated range.


Thus, in the system of Petty, the Infiniband channel adapter couples to an I/O controller via a local bus interface. The local bus interface receives data from the I/O controller if a local bus address of the data is within a predetermined address range of the local bus address space. The Examiner alleges that Petty teaches virtualizing a plurality of network devices on a single multi-function chip by means of a combination of hardware and software to form virtual network devices, at column 6, lines 20-47, and Figure 1, which read and are shown as follows:

The hosts 102 are IB processor end nodes, such as server computers, that comprise at least a CPU 122 and memory 124 complex. Each of the hosts 102 includes one or more IB Host Channel Adapters (HCA) 104 for interfacing the hosts 102 to an IB fabric 114. The IB fabric 114 is comprised of one or more IB Switches 106 and IB Routers 118 connected by a plurality of IB serial links 132. For example, an HCA 104 may be coupled to a host 102 via a PCI bus or the HCA 104 may be coupled directly to the memory and/or processor bus of the host 102.

The SAN 100 also includes a plurality of IB I/O units 108 coupled to the IB fabric 114. The IB hosts 102 and IB I/O units 108 are referred to collectively as IB end nodes. The IB end nodes are coupled by the IB switch 106 that connects the various IB links 132 in the IB fabric 114. The collection of end nodes shown comprises an IB subnet. The IB subnet may be coupled to other IB subnets (not shown) by the IB router 118 coupled to the IB switch 106.

Coupled to the I/O units 108 are a plurality of I/O devices 112, such as disk drives, network interface controllers, tape drives, CD-ROM drives, graphics devices, etc. The I/O units 108 may comprise various types of controllers, such as a RAID (Redundant Array of Inexpensive Disks) controller. The I/O devices 112 may be coupled to the I/O units 108 by any of various interfaces, including SCSI (Small Computer System Interface), Fibre-Channel, Ethernet, IEEE 1394, etc.

(Column 6, lines 20-47)



(Figure 1)

In this section and Figure, Petty describes how the hosts 102 include one or more IB Host Channel Adapters 104 for interfacing the hosts 102 to an IB fabric 114. The IB fabric 114 is comprised of one or more IB Switches 106 and IB Routers 118 connected by a plurality of IB serial links 132. Thus the numerous devices are interfaced to each other through the use of an Infiniband fabric 114. An Infiniband fabric is part of the InfiniBand Architecture (IBA), which is designed around the point-to-point switched I/O fabric whereby each node device is interconnected by cascade switch devices. This architecture specifies an interconnection technology between processor nodes, and I/O nodes in order to form a System Area Network (SAN). IBA SAN consists of the processor nodes (HCAs) and I/O units (TCA) connected through the IBA fabric made up of the cascaded switches and the routers. Thus, the devices, in the system of Petty, are separate physical devices that are separately interconnected through the Infiniband fabric and are not a plurality of network devices virtualized on a single multi-function chip by means of a combination of hardware and software to form virtual network devices.

In response, the Examiner states:

As to point (a), it is noted that Petty (*sic, spelled incorrectly throughout*) and the instant application both relate to an InfiniBand System Area Network.